

Index

Note: Page numbers of article titles are in **bold face** type.

A

- Abdominal pain, in arsine gas poisoning, 71–72
- Absinthe, seizures due to, 200
- Abuse, drug, **147–164**
 cocaine, **127–146**
 dextromethorphan, 157–159
 Ecstasy-related compounds, 147–153, 169–172, 189
 fentanyl, 159–161
 khat, 153–156
 salvia, 156–157
 seizures due to, 189
- Abyssinian tea (khat), 153–156
- Acepromazine poisoning, by health care workers, 257
- Acetaminophen poisoning, **49–65**
 acute, definition of, 52
 clinical features of, 17, 49–50
 diagnosis of, 49–50
 drug metabolism in, 51–52
 epidemiology of, 49
 from Tylenol Extended Relief, 53–54
 histopathology of, 50–51
 laboratory tests in, 17–19
 metabolic acidosis in, 38
 nonacute, 54
 prognosis for, 58–60
 risk factors for, 51–52
 treatment of, 52–57
- Acetoacetate, formation of, in poisoning, 40
- Acetone, formation of, in poisoning, 40
- Acetylcholine, excess of, seizures due to, 187
- N*-Acetylcysteine, for acetaminophen poisoning
 adverse reactions in, 57
 duration of, 55–56
 indications for, 52–53
 mechanism of action of, 55
 nonacute, 54
 oral versus intravenous, 56–57
 prognosis with, 58–60
 with extended relief formulation, 53–54
- Acetyl-para-aminophenol poisoning.
 See Acetaminophen poisoning.
- Acidosis
 lactic, in poisoning, 40
 metabolic. *See* Metabolic acidosis.
- Acrodynia, in mercury poisoning, 79
- Activated charcoal, for poisoning, 5–8
 complications of, 7–8
 dose for, 6
 drug-related, 202
 efficacy of, 6–8
 gastric lavage with, 3–5
 isoniazid, 198
 mechanism of, 5–6
 superactivated, 6
 thallium, 77
 versus supportive care, 6–7
- Adenosine, excess of, seizures due to, 187–188
- African salad (khat), 153–156
- Alkalis, metabolic acidosis due to, 37–38
- Alopecia, in thallium poisoning, 74–75
- Alpha-fetoprotein, in acetaminophen poisoning prognosis, 60
- N,N*-Alpha-methyltryptamine (AMT), 148–150
- Amphetamines, abuse of, 150–152
- AMT (*N,N*-alpha-methyltryptamine), 148–150
- Amyl nitrite, for cyanide poisoning, 43
- Amylase, in acetaminophen poisoning prognosis, 60
- Anemia, in poisoning
 carbon monoxide, 100
 lead, 87–88

- Anesthesia
 general, malignant hyperthermia in, 176–177
 local, seizures due to, 199
- Angioplasty, coronary, for cocaine-induced chest pain, 139
- Anion gap, in poisoning, 22–23, 32–33
 conditions affecting, 36
 decreased, 36
 elevated, 33–36
 normal, 35
- Anticonvulsants, seizures due to, 197
- Antidepressant poisoning
 seizures in, 194–195
 tricyclic. *See* Tricyclic antidepressant poisoning.
- Antifreeze poisoning. *See* Ethylene glycol poisoning.
- Antihistamines, seizures due to, 188, 199
- Antipsychotic agents
 neuroleptic malignant syndrome due to, 173–176
 seizures due to, 195
- Antiretroviral agents, metabolic acidosis due to, 38–39
- Antivenin, brown recluse spider, 221
- APACHE II, in acetaminophen poisoning, 59
- Arsenic poisoning, 68–71
 by health care workers, 256, 261, 269
 case example of, 68
 chemistry of, 69
 clinical features of, 69–70
 diagnosis of, 69–70
 laboratory tests in, 69–71
 lethal dose in, 69
 pathophysiology of, 69
 seizures in, 197
 sources of, 68–69
 treatment of, 71
- Arsine gas poisoning, 71–73
- Aspiration pneumonia, in poisoning, 5, 7–8
- Aspirin
 for cocaine-induced chest pain, 137
 poisoning with. *See* Salicylate poisoning.
- Atherogenesis, in cocaine use, 132–133
- ATP
 depletion of, in arsenic poisoning, 69
 in thermoregulation, 166–167
 toxins affecting, 38–40
- Atractylis gummifera* poisoning, 233–234
- Atractyloside poisoning, 233–234
- Autonomic dysfunction, in serotonin syndrome, 168–173
- Ayahuasca tea, 149
- Azadirachta indica* (margosa oil) poisoning, 234
- B**
- Baclofen, withdrawal from, seizures in, 193
- Base excess/deficit, in metabolic acidosis, in poisoning, 35–36
- Beautiful (phenethylamine), 150–152
- Benzodiazepines
 for baclofen withdrawal, 193
 for cocaine-induced chest pain, 136–137
 for drug-related seizures, 200–201
 for Ecstasy-related poisoning, 150
 for ethanol withdrawal, 193
 for isoniazid poisoning, 198
 for neuroleptic malignant syndrome, 175
 for serotonin syndrome, 173
 for tricyclic antidepressant poisoning, 194
 intentional overdose of, 268
 withdrawal from, seizures in, 193
- Benzyl alcohol poisoning, metabolic acidosis in, 37
- Benzylpiperazines, abuse of, 152–153
- Beta blockers, for cocaine-induced chest pain, 137–138
- Bites, brown recluse spider. *See* Brown recluse spider.
- Blood transfusion, for arsine gas poisoning, 72–73
- Blood urea nitrogen, in osmol gap calculation, in poisoning, 19–20
- Bone, lead storage in, 89
- Bromocriptine, for neuroleptic malignant syndrome, 175
- 4-Bromo-2,5-dimethoxyphenethylamine, 150–152
- Brown recluse spider, **211–226**
 description of, 211
 envenomation of
 animal studies of, 215, 217–221
 bite appearance in, 213–214

- clinical features of, 213–214, 219–220
 - diagnosis of, 220
 - differential diagnosis of, 215–216
 - epidemiology of, 215, 218
 - fatalities in, 214–215
 - treatment of, 220–221
 - venom identification in, 217, 219
 - habitat of, 212–213
 - Buffer therapy, for metabolic acidosis, in poisoning, 42–43
 - Bufotenine, abuse of, 148–150
 - Bupivacaine, seizures due to, 199
 - Bupropion, seizures due to, 194
 - 2C series, abuse of, 150–152
- C**
-
- Calcium channel blockers, for cocaine-induced chest pain, 138
 - Callilepis laureola* poisoning, 233–234
 - Camphor poisoning, 200
 - Carboline compounds, 149
 - Carbon Monoxide Neuropsychological Screening Battery, 109
 - Carbon monoxide poisoning, **99–125**
 - clinical features of
 - acute, 103–105
 - chronic, 106–107
 - delayed, 105–106
 - diagnosis of, 107–111
 - epidemiology of, 99–100
 - in pediatric patients, 105
 - in pregnancy, 105, 113
 - laboratory tests in, 107–111
 - metabolic acidosis in, 39
 - pathophysiology of, 100–103
 - prevention of, 115
 - sources of, 99–100
 - treatment of, 111–115
 - Carboxyatractyloside poisoning, 233–234
 - Carboxyhemoglobin, 100–101, 107–108
 - Cardiomyopathy, dilated, in cocaine use, 132–133
 - Cardiovascular system, carbon monoxide poisoning effects on, 103–104
 - Carvedilol, for serotonin syndrome, 172
 - Catecholamines, elevated, in cocaine use, 132–133
 - Cathartics, for poisoning, 9–10
 - Cathine, 155–156
 - Cathinone, 155–156
 - Caustic agents, metabolic acidosis due to, 37–38
 - Cephaeline, in syrup of ipecac, 1–2, 248
 - Chaparral poisoning, 232–233
 - Chat (khat), 153–156
 - Chelation therapy, for poisoning
 - arsenic, 71
 - lead, 88, 90
 - mercury, 80, 82, 84
 - Chest pain, cocaine-induced. *See* Cocaine, chest pain induced by.
 - Chlorpromazine, for serotonin syndrome, 173
 - Cholestyramine, for poisoning, 9
 - Cicuta douglasii* (water hemlock) poisoning, 196
 - Cinnabar poisoning, 81–82
 - Clozapine, seizures due to, 195
 - Club drugs
 - Ecstasy, 147–153, 169–153, 189
 - gamma hydroxybutyric acid, 147
 - ketamine, 147, 191, 257
 - phenylethylamines, 150–152
 - piperazines, 152–153
 - tryptamines, 148–150
 - Coagulopathy
 - in acetaminophen poisoning, 58–59
 - in brown recluse spider envenomation, 214–215
 - Cocaine
 - chest pain induced by, **127–146**
 - diagnosis of, 134–136
 - differential diagnosis of, 133–134
 - disposition in, 141–142
 - epidemiology of, 127
 - ethanol consumption and, 133
 - historical view of, 127–128
 - in chronic use, 132–133
 - morbidity and mortality in, 139–141
 - pathogenesis of, 128–133
 - prognosis for, 141
 - treatment of, 136–139
 - seizures due to, 189
 - Cocklebur poisoning, 233–234
 - Colic, in lead poisoning, 88
 - Computed tomography, in carbon monoxide poisoning, 110

- Coronary angioplasty, for cocaine-induced chest pain, 139
- Coronary artery(ies), cocaine effects on, 128–133
- Creatine kinase, elevated, in cocaine-induced chest pain, 135–136
- Creosote bush (chaparral) poisoning, 232–233
- Criminal poisoning
 - by health care workers, **255–273**
 - Cullen, Charles (digoxin and other drugs), 262–263
 - Gilbert, Kristen (epinephrine and other drugs), 257
 - Harvey, Donald (multiple methods), 255–257
 - institutional factors in, 270–271
 - Jones, Gene (cardiopulmonary arrest), 257–260
 - laboratory testing in, 269–270
 - Majors, Orville Lynn (potassium chloride), 263–266
 - methods for, 267–269
 - poisoner characteristics in, 266
 - Saldivar, Efren (multiple poisons), 262
 - Swango, Michael (multiple poisons), 260–261
 - victim selection in, 266–267
 - in Munchausen by proxy, **243–253**
 - with arsenic, 68
- Crotalaria poisoning, 229–231
- Cullen, Charles, as serial poisoner, 262–263
- Cyanide poisoning
 - by health care workers, 256, 269
 - metabolic acidosis in, 39, 43
- Cyproheptadine, for serotonin syndrome, 173
- Cytochromes, carbon monoxide binding to, 102
- D**
-
- Daad (white chameleon) poisoning, 233–234
- Dalvia (salvia), 156–157
- Dantrolene
 - for baclofen withdrawal, 193
 - for malignant hyperthermia, 177
 - for neuroleptic malignant syndrome, 175
- DDT poisoning, 199
- Decontamination, gastrointestinal. *See* Gastrointestinal decontamination.
- Defibrotide, for pyrrolizidine alkaloids poisoning, 230
- Delayed neurologic sequelae, in carbon monoxide poisoning, 105–106
- Designer drugs
 - Ecstasy, 147–153, 169–172, 189
 - phenylethylamines, 150–152
- Developmental delay, in lead poisoning, 86–87
- Dextromethorphan, abuse of, 157–159
- Diazepam
 - for cocaine-induced chest pain, 137
 - for drug-related seizures, 201
 - for ethanol withdrawal, 193
- Diffunisal, interference of, with salicylate assays, 14
- Digoxin, intentional overdose of, 263
- Dilated cardiomyopathy, in cocaine use, 132–133
- Dimercaprol, for poisoning
 - lead, 88, 90
 - mercury, 80, 82
- 5-Dimethoxy-4-ethylthiophenethylamine, 150–152
- 2,5-Dimethoxy-4-(n)-propylthiophenethylamine, 150–152
- N,N-Dimethyltryptamine (DMT), 148–150
- Diphenhydramine poisoning, 199
- Divinatorins, 156–157
- Diviner's Mint (salvia), 156–157
- Done nomogram, for salicylate poisoning, 15
- Dopamine, in thermoregulation, 166–167
- DPT (N,N-dimethyltryptamine), abuse of, 148–150
- Drug poisoning, 26–27, 168–177. *See also specific drugs.*
 - chest pain in, **127–146**
 - in Munchausen by proxy, 243–253
 - metabolic acidosis in, 38–40
 - seizures in, 186–202
 - treatment of, whole bowel irrigation in, 9–10
 - urine screening in, 26–27
 - with drugs of abuse, **147–164**

E

- Ecstasy and related compounds, 147–153, 169–172, 189
- Electrocardiography, in cocaine-induced chest pain, 135
- Emesis, for poisoning, 1–2
- Emetine, in syrup of ipecac, 1–2, 248
- Encephalopathy, in lead poisoning, 88
- Endothelium, cocaine effects on, 131–132
- Envenomation, brown recluse spider. *See* Brown recluse spider.
- Enzyme-linked immunosorbent assay, in brown recluse spider envenomation, 220
- Ephedra poisoning, 197
- Epinephrine poisoning, by health care workers, 257, 265
- Erethism, in mercury poisoning, 79–80
- Ethanol
 - ingestion of
 - acetaminophen poisoning and, 51–52
 - cocaine use with, 133
 - withdrawal from, 191–193
 - poisoning with, metabolic acidosis in, 37, 40, 43
 - therapeutic, for toxic alcohol poisoning, 43
- Ethyl mercury poisoning, 82–84
- Ethylene glycol poisoning
 - fluorescence test for, 24–26
 - metabolic acidosis in, 37, 41, 43
 - osmol gap in, 19–22

F

- Factitious disorder by proxy. *See* Munchausen by proxy.
- Fentanyl, abuse of, 159–161
- Ferric chloride test, for salicylate poisoning, 23–24
- Fiddleback spider. *See* Brown recluse spider.
- Flumazenil, seizures due to, 193
- Fluorescence test, for ethylene glycol poisoning, 24–26
- Fomepizole, for toxic alcohol poisoning, 43
- Foreign objects, lead, poisoning with, 89

Fresh frozen plasma, for acetaminophen poisoning, 59

Fuller's earth, for poisoning, 9

G

- Gamma-aminobutyric acid, depletion of, seizures in, 186
- Gamma-hydroxybutyric acid, seizures due to, 189
- Gastric lavage, for poisoning, 2–5
- Gastrointestinal decontamination, for poisoning, **1–12**
 - activated charcoal. *See* Activated charcoal, for poisoning.
 - drug-related, 201
 - emesis, 1–2
 - gastric lavage, 2–5
 - magnesium hydroxide, 8–9
 - whole bowel irrigation, 9–10
- General anesthesia, malignant hyperthermia in, 176–177
- Germander poisoning, 231–232
- Gilbert, Kristen, as serial poisoner, 257
- Globus pallidus, lesions of, in carbon monoxide poisoning, 110
- Glomerulonephritis, in mercury poisoning, 82
- Glutamate, elevated, seizures due to, 187
- Glutathione, in acetaminophen metabolism, 51–52, 55
- Glycine, excess of, seizures due to, 187
- Greasewood (chaparral) poisoning, 232–233
- Guanylyl cyclase, carbon monoxide binding to, 102
- Gyromitrin poisoning, 196–197

H

- Hair, thallium detection in, 75–76
- Hallucinogens, 145–153
- Halothane, malignant hyperthermia due to, 176
- Harmaline, harmine, and derivatives, abuse of, 149
- Harvey, Donald, as serial poisoner, 255–257
- Headache, in carbon monoxide poisoning, 103

Heavy metal poisoning, **67–97**
 arsenic. *See* Arsenic poisoning.
 arsine gas, 71–73
 lead, 84–90, 197
 mercury, 77–84
 seizures in, **197**
 thallium, 73–77, 197

Hedeoma pulegoides (pennyroyal)
 poisoning, 236–237

Heliotropium poisoning, 229–231

Hemagglutinin inhibition assay, in brown recluse spider envenomation, 220

Hemodialysis, for poisoning
 arsine gas, 72–73
 mercury, 82

Hemodynamics, in cocaine use, 130–131

Hemoglobin, carbon monoxide binding to,
 100–101, 107–108

Hemolysis
 in arsine gas poisoning, 71–72
 in brown recluse spider envenomation,
 214–215, 217, 219

Heparin
 for cocaine-induced chest pain, 137
 intentional overdose of, 258–259

Hepatotoxicity
 of acetaminophen, 50–54, 58–60
 of herbal products, **227–241**
 chaparral, 232–233
 germander, 231–232
 impila, 233–234
 kava, 234–236
 margosa oil, 234
 pennyroyal, 236–237
 pyrrolizidine alkaloids,
 229–231

Herbal products
 hepatotoxicity of, **227–241**
 seizures due to, 197

Histamine, anticonvulsive properties of, 188

Homicide, by poison, in health care setting,
255–273

Hyaluronidase, in brown recluse spider
 venom, 217

Hydrazine poisoning, 197–198

Hydrochloric acid, metabolic acidosis due
 to, 38

Hydrogen sulfide poisoning, 39, 43

β-Hydroxybutyrate, formation of, in
 poisoning, 40

Hyperamylasemia, in acetaminophen
 poisoning, 60

Hyperbaric oxygen therapy, for carbon
 monoxide poisoning, 111–115

Hypertension, in lead poisoning, 88

Hyperthermic syndromes, drug-related,
165–184
 anesthesia, 176–177
 neuroleptic agents, 173–176
 serotonin, 168–173
 sympathomimetic agents, 168–173
 versus normal thermogenesis, 166–167

Hypothalamic-pituitary-thyroid-adrenal
 axis, serotonin syndrome and, 171–172

Hypoxia, in carbon monoxide poisoning,
 101

I

Impila poisoning, 233–234

Indolealkylamines, abuse of, 148–150

Ipecac, syrup of
 for poisoning, 1–2
 poisoning with, 248

Isoniazid poisoning, 40–41, 43, 197–198

Isopropanol poisoning, osmol gap in, 19–22

J

Jones, Genevieve, as serial poisoner, 257–260

K

Kava poisoning, 234–236

Ketamine poisoning, 147, 191, 257

Ketone bodies, formation of, in poisoning,
 40

Khat, 153–156

Kidney, dysfunction/failure of, in poisoning
 arsine gas, 71–73
 carbon monoxide, 103–104
 lead, 88
 mercury, 82
 metabolic acidosis in, 41–42

King's College criteria, for acetaminophen
 poisoning outcome, 58–60

L

La Pastora (salvia), 156–157

Labetalol, for cocaine-induced chest pain,
 137–138

Lactate, in acetaminophen poisoning
prognosis, 60

Lactic acidosis, in poisoning, 40

Larrea tridentata (chaparral) poisoning,
232–233

Lavage, gastric, for poisoning, 2–5

Lead poisoning, 84–90
case study of, 84–85
in children, 86–88
occupational, 85–86, 88, 90
seizures in, 197
sources of, 85–86

Left ventricular function, in cocaine use,
130–131

Legal E and Legal X, 152–153

Lidocaine, seizures due to, 199

Lindane poisoning, 199

Lipid peroxidation, in carbon monoxide
poisoning, 102–103

Lithium poisoning, 195

Liver, toxic substance effects on.
See Hepatotoxicity.

Local anesthetics, seizures due to, 199

Lorazepam
for cocaine-induced chest pain, 137
for drug-related seizures, 201

Loxosceles reclusa. *See* Brown recluse
spider.

Lymphocyte transformation test, in brown
recluse spider envenomation, 220

M

Ma huang (ephedra) poisoning, 197

MADGAS mnemonic, for elevated osmol
gap, 35, 37

Magic mushrooms, hallucinogenic, 148–150

Magnesium hydroxide, for poisoning, 8–9

Magnetic resonance imaging, in carbon
monoxide poisoning, 110–111

Majors, Orville Lynn, as serial poisoner,
263–266

Malignant hyperthermia, 176–177

Margosa oil poisoning, 234

MDMA (3,4-methylenedioxy-N-
methylamphetamine), 147–148, 153,
169–172

Meadow's syndrome. *See* Munchausen by
proxy.

Mediterranean thistle (white chameleon)
poisoning, 233–234

Mees lines, in arsenic poisoning, 70

Mentha pulegium (pennyroyal) poisoning,
236–237

Meperidine poisoning, 196

Merbromin poisoning, 82–84

Mercury poisoning, 77–84
acute, 79
case study of, 77
chemistry of, 77–78, 81
chronic, 79
clinical features of
elemental, 79–80
inorganic, 81–82
organic, 83–84
diagnosis of
elemental, 80
inorganic, 82
organic, 84
elemental, 78–80
inorganic, 81–82
organic, 82–84
pathophysiology of, 78–79, 83–84
sources of, 77–78, 82–83
treatment of
elemental, 80
inorganic, 82
organic, 84

Mescaline, 150

Metabolic acidosis, in poisoning, **31–48**
anion gap and, 22–23, 33–36
approach to, 31–33
carbon monoxide, 108
definition of, 31
mechanisms of, 36–42
toxicants associated with, 33–36
treatment of, 42–44

Metformin poisoning, metabolic acidosis in,
39

Methamphetamine, abuse of, 150–152

Methanol poisoning
metabolic acidosis in, 37, 39, 43
osmol gap in, 19–22

Methcathinone, 155–156

5-Methoxy-N,N-alpha-methyltryptamine,
148–150

5-Methoxy-N,N-diisopropyltryptamine,
148–150

- 5-Methoxy-N,N-dimethyltryptamine, 148–150
- 3,4-Methylenedioxy-N-methylamphetamine (MDMA), 147–148, 153, 169–172
- Methylmercury poisoning, 82–84
- Methylxanthine poisoning, 198–199
- Midazolam
for drug-related seizures, 201
for ethanol withdrawal, 193
- Minimata disease, 83–84
- Miraa (khat), 153–156
- Mitochondrial poisons, metabolic acidosis due to, 39–40
- Morphine
for cocaine-induced chest pain, 138
intentional overdose of, 262
- MUDILES mnemonic, for increased anion gap, 22–23
- MUDPILES mnemonic, for increased anion gap, 33–35
- Munchausen by proxy, **243–253**
definition of, 243–244
differential diagnosis of, 244
epidemiology of, 244–245
history of, 243–244
investigation of, 249–250
laboratory testing in, 248
long-term effects of, 250
offender in, 245
pharmacokinetic models for, 248–249
poisons used in, 246–248
victim of, 245, 250
- Murder, by poison, in health care setting, **255–273**
- Mushroom poisoning, 148–150, 196–197
- Myocardial infarction, cocaine-induced. *See* Cocaine, chest pain induced by.
- Myoglobin, carbon monoxide binding to, 102
-
- N**
-
- Nasogastric aspiration, for poisoning, 2
- National Academy of Clinical Biochemistry, recommendations of, for laboratory testing in poisoning, 13–14
- Necrosis, in brown recluse spider envenomation, 219
- Nephrotic syndrome, in mercury poisoning, 82
- Nerve conduction studies, in thallium poisoning, 75–76
- Neuroleptic malignant syndrome, 173–176
- Neurologic disorders, in poisoning
arsenic, 69–70
arsine gas, 71–73
carbon monoxide, 102–106
lead, 86–88
mercury, 79–80, 83–84
thallium, 74–76
- Neuropsychometric testing, in carbon monoxide poisoning, 109–111
- Nitrates, for cocaine-induced chest pain, 137
- Nitric oxide, elevated, in carbon monoxide poisoning, 102–103
- Nitroglycerin, for cocaine-induced chest pain, 137
- Nordihydroguaiaretic acid poisoning, 232–233
- Norepinephrine
excess of, seizures in, 187
in thermoregulation, 166–167
-
- O**
-
- Olanzapine, seizures due to, 195
- Opioid poisoning, 196, 268
- Oral hypoglycemic agent poisoning, 247
- Organochlorine pesticide poisoning, 199
- Osmol gap, in poisoning, 19–22, 35
- OTIS CAMPBELL mnemonic, for seizure causes, 192
- Oximetry, pulse, in carbon monoxide poisoning, 108
- Oxygen therapy, for carbon monoxide poisoning, 111–115
-
- P**
-
- Pain, chest, cocaine-induced. *See* Cocaine, chest pain induced by.
- Pancuronium bromide, intentional overdose of, 262
- Passionflower, illicit use of, 149
- PCP (phencyclidine), seizures due to, 191

- Pediatric patients, poisoning in
 carbon monoxide, 105
 lead, 86–88
- D-Penicillamine, for poisoning, mercury,
 80, 84
- Pennyroyal poisoning, 236–237
- Percutaneous coronary interventions, for
 cocaine-induced chest pain, 139
- Peyote, 150
- Phencyclidine, seizures due to, 191
- Phenformin poisoning, metabolic acidosis
 in, 39
- Phenobarbital
 for drug-related seizures, 201
 for ethanol withdrawal, 193
- Phentolamine, for cocaine-induced chest
 pain, 138
- 1-Phenylcyclohexyl-piperidine, seizures due
 to, 191
- Phenylethylamines, abuse of, 150–152
- Phenylpiperazines, abuse of, 152–153
- Phenytoin, for drug-related seizures, 201
- Pheochromocytoma, versus mercury
 poisoning, 79–80
- Phosphate, in acetaminophen poisoning
 prognosis, 59–60
- Piper methysticum* (kava) poisoning,
 234–236
- Piperazines, abuse of, 152–153
- Platelet aggregation, in cocaine use,
 131–132
- Plumbism. *See* Lead poisoning.
- Pneumonia, aspiration, in poisoning, 5, 7–8
- Poisoning
 acetaminophen. *See* Acetaminophen
 poisoning.
 alcohol(s), 19–22, 24–26
 arsenic. *See* Arsenic poisoning.
 arsine gas, 71–73
 brown recluse spider envenomation,
 211–226
 carbon monoxide, 99–125
 cocaine, 127–146, 189
 criminal
 by health care providers, 255–273
 Munchausen by proxy, 243–253
 with arsenic, 68
 drug. *See* Drug poisoning; *specific
 drugs.*
 gastrointestinal decontamination in,
 1–12, 201
 heavy metal, 67–97, 197
 herbal product, 227–241
 hyperthermia in, 165–184
 laboratory tests in, 13–30 . *See also
 specific poisons.*
 anion gap, 22–23
 bedside, 23–26
 in emergency department, 13–14
 in metabolic acidosis, 32–33
 osmol gap, 19–22
 urine drug screening, 26–27
 lead, 84–90
 mercury, 77–84
 metabolic acidosis in, 31–48
 physical examination in, 13
 salicylate. *See* Salicylate poisoning.
 seizures in, 185–209
- Polle's syndrome. *See* Munchausen by
 proxy.
- Polyethylene glycol solutions, for poisoning,
 9–10
- Potassium chloride poisoning, 261, 264–265,
 267
- Pregnancy, poisoning in, carbon monoxide,
 105, 113
- Propofol
 for drug-related seizures, 201
 for ethanol withdrawal, 193
- Propoxyphene poisoning, 196
- Propylene glycol poisoning, metabolic
 acidosis in, 41–42
- Protein binding, in carbon monoxide
 poisoning, 102
- Prothrombin time, in acetaminophen
 poisoning, 58–59
- Prussian blue, for thallium poisoning, 76–77
- Psilocin, abuse of, 148–150
- Psilocybin, abuse of, 148–150
- Pulegone poisoning, 236–237
- Pulse oximetry, in carbon monoxide
 poisoning, 108
- Pyridoxine
 for drug-related seizures, 201
 for isoniazid poisoning, 43, 198
- Pyrrrolizidine alkaloids, 229–231

R

Radionuclide studies, in cocaine-induced chest pain, 136

Respiratory control, in thermoregulation, 166

Rhabdomyolysis, in carbon monoxide poisoning, 104–105

Ropivacaine, seizures due to, 199

Rumack-Matthew nomogram, for acetaminophen poisoning treatment, 52–53

S

Saldívar, Efrén, as serial poisoner, 262

Salicylate poisoning

acute, 14

bedside tests for, 23–26

chronic, 14, 16–17

clinical examination in, 16

clinical features of, 14, 16–17

laboratory tests in, 14–17

metabolic acidosis in, 37

Salvia, 156–157

Sedatives, withdrawal from, seizures in, 193

Seizures, chemically induced, **185–209**

clinical presentation of, 188–189

differential diagnosis of, 188–189

epidemiology of, 185–186

from anticonvulsants, 197

from diphenhydramine, 199

from drugs of abuse, 189

from gamma hydroxybutyric acid, 189

from heavy metals, 197

from isoniazid, 197–198

from local anesthetics, 199

from methylxanthines, 198–199

from natural agents, 196–197

from opioids, 196

from organochlorine pesticides, 199

from phencyclidine, 191

from psychiatric drugs, 193–195

from stimulants, 189

from terpenes, 200

in withdrawal syndromes, 191–193

pathophysiology of, 186–188

treatment of, 200–202

Senecio burchelli poisoning, 229

Senecio ilicifolius poisoning, 229

Serial poisoners, in health care setting, **255–273**

Serotonin, in thermoregulation, 166–167

Serotonin syndrome, hyperthermia related to, 168–173

Shepherdess (salvia), 156–157

Single photon emission computed tomography, in carbon monoxide poisoning, 111

Skin, poisoning manifestations in
arsenic, 70
mercury, 81–82

Sodium bicarbonate
for metabolic acidosis, 42–43
for tricyclic antidepressant poisoning, 194

Sodium channel blockers, seizures due to, 187

Sodium nitrite, for cyanide poisoning, 43

Sodium polystyrene sulfate, for poisoning, 9

Sodium thiosulfate, for cyanide poisoning, 43

Sphingomyelinase D, in brown recluse spider venom, 217

Spiders, brown recluse. *See* Brown recluse spider.

Stavudine, metabolic acidosis due to, 38

Stimulants, seizures due to, 189

Succimer, for poisoning
lead, 88, 90
mercury, 80, 82, 84

Succinylcholine, intentional overdose of, 259, 262, 267–268

Sulfonylurea poisoning, 247

Sulfuric acid, metabolic acidosis due to, 38

Supportive care, for poisoning
arsenic, 71
brown recluse spider, 220
pyrrolizidine alkaloids, 230
versus activated charcoal, 6–7

Swango, Michael, as serial poisoner, 260–261

Sympathomimetic syndrome, hyperthermia related to, 168–173

Symphytum poisoning, 229–231

Syrian rue, illicit use of, 149

Syrup of ipecac
for poisoning, 1–2
poisoning with, 248

T

-
- Terpene poisoning, 200
- Teucrium chamaedrys* (germander)
poisoning hepatotoxicity, 231–232
- Thallium poisoning
case study of, 73
clinical features of, 74–75
diagnosis of, 75–76
laboratory tests in, 75–76
pathophysiology of, 73–74
seizures in, 197
sources of, 73
treatment of, 76–77
- Theophylline poisoning, 198–199
- Thermogenesis, normal, versus
hyperthermic syndromes,
166–167
- Thimerosal poisoning, 82–84
- Thrombogenesis, in cocaine use,
131–132
- Thrombolytic therapy, for cocaine-induced
chest pain, 138–139
- Thujone poisoning, 200
- Thyroid hormones, in thermoregulation,
167
- Toluene poisoning, metabolic acidosis in,
41
- Toxic exposures. *See* Poisoning.
- Tramadol poisoning, 196
- Tricyclic antidepressant poisoning
activated charcoal for, 7
gastrointestinal decontamination for,
4–5
seizures in, 193–194
- Trinder spot test, for salicylate poisoning,
23–24
- Triptasy, 150–152
- Troponins, in cocaine-induced chest pain,
135–136
- Tryptamines, abuse of, 148–150

U

-
- Uncoupling proteins, in thermoregulation,
166–167
- Urinary arsenic excretion test, 71
- Urine drug screening tests, in poisoning,
26–27, 32
- Urine fluorescence test, in ethylene glycol
poisoning, 24–26

V

-
- Valproic acid
for drug-related seizures, 201
metabolic acidosis due to, 38–39
- Vasoconstriction, in cocaine use, 128–130
- Venlafaxine, seizures due to, 194–195
- Verapamil, for cocaine-induced chest pain,
138
- Vermillion poisoning, 81–82

W

-
- Water hemlock poisoning, 196
- White chameleon poisoning, 233–234
- Whole bowel irrigation, for poisoning, 9–10
- Wild carrot poisoning, 196
- Wood's lamp, in urine fluorescence test, for
ethylene glycol poisoning, 25–26
- Wormwood, oil of, seizures due to, 200

X

-
- Xanthium strumarium* (cocklebur)
poisoning, 233–234

Y

-
- Yerba Maria (salvia), 156–157

Z

-
- Zidovudine, metabolic acidosis due to, 38