

Index

NOTE: Page numbers of article titles are in boldface type.

- ABO hemolytic disease, in neonate, 246-247
 exchange transfusion in, 267-268
- Acidosis, fetal, monitoring of, 215-225
- Albumin, dye-binding procedures, 333-336
 in neonatal transfusion, 297
 reserve, estimation of binding capacity, 329-343
- Alkalemia, neonatal, 235
- Alpha-fetoprotein, in diagnosis of neural tube defects, 181-198
- Amniocentesis, in diagnosis of neural tube defects, 188-192
 in measurement of bilirubin level, 323-324
- Amniotic fluid, alpha-fetoprotein levels in, neural tube defects and, 188-192
 bilirubin levels in, 323-324
 phospholipid levels in, respiratory distress syndrome and, 199-213
- Anemia, autoimmune hemolytic, neonatal, 258-259
- Antibody-mediated perinatal disease, 239-263
- Antidiuretic hormone deficiency, neonatal, 414-416
- Assay(s). See under specific types.
- BETAMETHASONE, intrauterine treatment, 363
- 3-Beta-ol-dehydrogenase deficiency, neonatal, 411
- Bilirubin, conjugated, measurement of, 324-325
 free, detection of, 329-343
 levels, in perinatal diagnosis, 269-272, 311-327
 metabolism, 311-313
 photodecomposition of, 364
 standards, 321-322
 total, measurement of, 315-324
- Bilirubin encephalopathy, neonatal, exchange transfusion in, 271-272
- Blood, compatibility, in neonatal exchange transfusion, 276-277
 fetal scalp, sampling of, 215-225
 incompatibility, neonatal jaundice and, 314
 prenatal testing, for antibody, 252-253, 268
 reconstituted, in neonatal exchange transfusion, 277
 storage of, 275-276, 289
 transfusion, in neonate, 265-283
- Blood component therapy, in neonatal intensive care, 285-309
- Blood volume, in neonates, 364-365
- Breast milk, drugs excreted in, 367
- Bromocresol green, in albumin dye-binding, 335
- Bromphenol blue, in albumin dye-binding, 335
- CAFFEINE, in pregnancy, 362, 372
- Calcium, levels, in neonates, 232-233
 metabolism, in neonates, 229-232
- Campylobacter fetus* infection, neonatal, 355
- Carbohydrate metabolism, neonatal disorders of, 419-432
- Chickenpox, perinatal, 389-390
- Chlamydial infection, perinatal, 388-389
- Cholesterol desmolase deficiency, neonatal, 411
- Chromatography, column, in measurement of bilirubin, 336-337, 339-341
 gas-liquid, in prenatal diagnosis of respiratory distress syndrome, 204
 thin-layer, in prenatal diagnosis of respiratory distress syndrome, 205-211
- Citrobacter diversus* infection, neonatal, 351-352
- Coagulopathy, neonatal, replacement therapy in, 297-300
- Conjunctivitis, neonatal, 353
- Cortisol, measurement of, in pregnancy, 163-165
- Cryoprecipitate, in neonatal transfusion, 300-301
- Cytomegalovirus, perinatal, 386-388
- DIABETES insipidus, neonatal, 414-416
- Diabetes mellitus, in pregnancy, 169, 175
 neonatal hypocalcemia and, 231, 421
 neonatal respiratory distress and, 199, 206
 neonatal, 424
- Diarrhea, neonatal, 352-353
- Diazotization, of bilirubin, 318-321
- Disseminated intravascular coagulation, neonatal, exchange transfusion in, 273
- Drug(s), perinatal exposure, 361-375
- Dye(s), in measurement of bilirubin, 333-336

- ELECTROIMMUNODIFFUSION, in measurement of alpha-fetoprotein, 188-189
- Electrophoresis, acrylamide gel slab, in measurement of alpha-fetoprotein, 189-192
- Endocrine assays, in monitoring pregnancy, 157-179
- Endocrine system, neonatal disorders of, 399-418
- Enzyme, assay, in measurement of bilirubin, 337
- Enzyme deficiency(ies), neonatal, 407-412
- Erythroblastosis fetalis. See *Hemolytic disease*.
- Erythrocyte bilirubin uptake, in measurement of bilirubin, 332-333
- Erythrocyte(s), in neonatal transfusion, 285-292
- Escherichia coli* infection, neonatal, 350-353
- Estrogen(s), measurement of, in pregnancy, 165-169
- Exchange transfusion, in neonate, 265-283
- FACTOR replacement, in neonatal transfusion, 297-300
- Fetoplacental unit, endocrinology of, 158-160
- Fetus, bacterial infection in, 345-360
 - blood sampling, 215-225
 - drug exposure in, 361-375
 - heart rate monitoring in, blood sampling and, 219-222
 - lung maturity, prenatal evaluation of, 199-213
 - neural tube defects, prenatal diagnosis of, 181-198
 - nonbacterial infection in, 377-397
 - syphilis in, 355-359
- Fluorescence, assay, in measurement of bilirubin, 337
- Fluorescent treponemal antibody absorption test (FTA-Abs), in syphilis, 358-359
- Fructose metabolism, neonatal disorders of, 424-426
- GALACTOSEMIA, neonatal, 429-430
- Gas-liquid chromatography, in prenatal diagnosis of respiratory distress syndrome, 204
- German measles. See *Rubella*.
- Glucose. See *Carbohydrate* or under disorders such as *Hypoglycemia*.
- Glycogen storage diseases, neonatal, 426-428
- Gonadotropin, human chorionic, measurement of, in pregnancy, 170-172
- Granulocyte(s), in neonatal transfusion, 295-296
- Graves' disease, neonatal, 258, 406-407
- Group B streptococcus infection, neonatal, 348-350
- Growth hormone deficiency, neonatal, 412-414
- HEMATOFLUOROMETER, bilirubin, 338
- Hemolytic disease of the newborn, 246-254
 - exchange transfusion in, 265-269
- Hepatitis, type A, perinatal, 391-392
- type B, perinatal, 392-393
- Herpes simplex virus infection, perinatal, 384-386
- Hormonal assays, in monitoring pregnancy, 157-179
- Hormonal disorders, of neonate, 399-418
- Hormone(s). See under specific types.
- Human chorionic gonadotropin, measurement of, in pregnancy, 170-172
- Hydroxybenzeneazobenzoic acid, in albumin dye-binding, 334-335
- 11-Hydroxylase deficiency, neonatal, 410-411
- 17-Hydroxylase deficiency, neonatal, 411-412
- 21-Hydroxylase deficiency, neonatal, 408-410
- Hyperbilirubinemia, neonatal, causes of, 314-315
 - exchange transfusion in, 269-272
 - management of, 341-342
- Hyperglycemia, neonatal, 424
- Hyperinsulinism. See *Hypoglycemia*.
- Hyperphosphatemia, neonatal, 233-234
- Hyperplasia, congenital adrenal, 407-412
- Hyperthyroidism, neonatal, 258, 400, 406-407
- Hypocalcemia, neonatal, 227-238
- Hypoglycemia, neonatal, 420-423
- Hypomagnesemia, neonatal, 234-235
- Hypothyroidism, neonatal, 400-406
- ICTERUS. See *Jaundice* or *Kernicterus*.
- Immune serum globulin, in neonatal transfusion, 301-303
- Immunoglobulin(s), function of, 239-244
 - in antibody-mediated perinatal disease, 244-246
 - replacement, in neonate, 301-303
- Infection, bacterial, in neonate, 345-360
- nonbacterial, in neonate, 377-397
- JAUNDICE, hemolytic disease of newborn and, 267-268
 - neonatal, management of, 341-342
- KERNICTERUS, neonatal, bilirubin levels and, 329-343
 - exchange transfusion in, 271-272
- LABOR, fetal blood sampling and, 215-225
- Lactogen, placental, measurement of, in pregnancy, 172-173
- Lecithin, fetal lung maturation and, 202
- Lecithin/sphingomyelin ratio, in assessment of fetal lung maturity, 205-211
- Leukocyte(s), in neonatal transfusion, 295-296
- Lipemia, effects on bilirubin measurement, 317-318
- Listeria monocytogenes* infection, neonatal, 354-355
- MAGNESIUM, levels of, in neonates, 234-235
- Milk, breast, drugs excreted in, 367
- Myasthenia gravis, neonatal, 257-258

- NEISSERIA *gonorrhoeae* infection, neonatal, 353-354
- Neonate, alloimmune neutropenia in, 255-256
 alloimmune thrombocytopenia in, 254-255
 antibody-mediated disease in, 239-263
 autoimmune hemolytic anemia in, 258-259
 autoimmune thrombocytopenic purpura in, 257
 bacterial infection in, 345-360
 bilirubin levels in, 311-327
 blood component therapy in, 285-309
 carbohydrate metabolism disorders in, 419-432
 congenital adrenal hyperplasia in, 407-412
 diabetes insipidus in, 414-416
 diabetes mellitus in, 424
 drug exposure in, 361-375
 endocrine system disorders in, 399-418
 exchange transfusion in, 265-283
 fructose metabolism disorders in, 424-426
 Graves' disease in, 258, 406-407
 galactosemia in, 429-430
 glycogen storage diseases in, 426-428
 growth hormone deficiency in, 412-414
 hemolytic disease of, 246-254
 exchange transfusion in, 265-269
 hyperglycemia in, 424
 hyperphosphatemia in, 233-234
 hyperthyroidism in, 258
 hypocalcemia in, 227-238
 hypoglycemia in, 420-423
 hypomagnesemia in, 234-235
 myasthenia gravis in, 257-258
 nonbacterial infection in, 377-397
 reserve albumin binding capacity in, 329-343
 respiratory alkalemia in, 235
 systemic lupus erythematosus in, 258
 thyroid disorders in, 399-407
- Neural tube defect(s), prenatal diagnosis of, 181-198
- Neutropenia, alloimmune, neonatal, 255-256
 Newborn. See *Neonate*.
- Nosocomial infection, in neonate, 345-360
- PERINATAL diagnosis, symposium on, 157-432
- Perinatal disease, antibody-mediated, 239-263
 diagnosis of, 157-432
- Phage typing, in staphylococcal infection, 347-348
- Pharmacology, perinatal, 361-375
- Phenolsulfonphthalein, in albumin dye-binding, 333-334
- Phosphatidyl glycerol, in prenatal diagnosis of respiratory distress syndrome, 207-211
- Phosphorus, levels, in neonates, 233-234
- Phototherapy, bilirubin levels and, 363-364
- Placental lactogen, measurement of, in pregnancy, 172-173
- Plasma, derivatives, in neonatal transfusion, 296-303
- Platelet(s), in neonatal transfusion, 292-295
- Pregnancy, drugs in, 361-363
 high risk, laboratory monitoring of, 157-179
- Pregnenediol, measurement of, in pregnancy, 162-163
- Progesterone, measurement of, in pregnancy, 162-163
- Prolactin, measurement of, in pregnancy, 173-174
- RADIOIMMUNOASSAY, in measurement of alpha-fetoprotein, 187
- Red blood cell(s), in neonatal transfusion, 285-292
- Respiratory distress syndrome, neonatal, exchange transfusion in, 273
 pathogenesis of, 200-202
 prenatal diagnosis of, 199-213
- Respiratory syncytial virus infection, perinatal, 390-391
- Rh hemolytic disease, in neonate, 247
 exchange transfusion in, 265-267
- Rubella, perinatal, 380-384
- SALICYLATE saturation index, in bilirubin measurement, 330-332
- Sepsis, neonatal, 345-360
- Serologic testing, in perinatal nonbacterial infections, 377-397
- Spectrophotometry, direct, in bilirubin measurement, 316-318
 in measurement of bilirubin, 330-332
- Stains, in albumin dye-binding procedures, 333-336
- Stains and staining. See under individual names.
- Staphylococcus aureus* infection, neonatal, 346-348
- Syphilis, congenital, 355-359
- Systemic lupus erythematosus, neonatal, 258
- THIN-LAYER chromatography. See *Chromatography*.
- Thrombocytopenia, alloimmune, neonatal, 254-255
- Thrombocytopenic purpura, autoimmune, neonatal, 257
- Thyroid, neonatal disorders of, 399-407
- Toxoplasmosis, perinatal, 377-380
- Transfusion, exchange, bilirubin levels and, 315
 drug therapy and, 277
 in neonate, 265-283
 of blood components, in neonate, 285-309
 partial exchange, in neonate, 277-278
- Treponema pallidum* infection, neonatal, 355-359
- VARICELLA-ZOSTER virus infection, perinatal, 389-390
- Vasopressin deficiency, neonatal, 414-416
- Viral infection(s), perinatal, 380-393
- WHITE blood cell(s), in neonatal transfusion, 295-296
- YELLOW, direct 7, in albumin dye-binding, 335-336